



JetNet 6228G-4F-AC

Industrial 28-port Full Gigabit with 4-port SFP Managed Ethernet Switch AC

24 10/100/1000Base-TX 4 100/1000M SFP ports
 Fanless
 Security : ACL L2/L3 TACACS+ RADIUS 802.1X port isolation
 Redundance protocol: MSR RSTPMSTP
 USB Firmware upgrade
 -40~75°C operating temperature
 EN 50121-4

Facts

General description

Part number	F00N6228G02001
Life cycle status	Mature
Warranty	Up to 5 years

Interface

Total ports number	28
10/100/1000TX ports	24
Fiber ports	4 x 1000M SFP ports
DI/DO (dry relay)	1 x Relay
Console	RS232
AC power input	100-240VAC

Features

Switch type	L2 Managed
Network redundancy	MSR RDH RSTP MSTPLACP
Broadcast storm protection	Yes
Security	ACL L2/L3
DHCP server (Opt82, port based)	Yes

SW/Protocol

Management	SNMP V1/2c/3 CLI Web Trap RMON
RSTP/MSTP	Yes
Traffic priority (QoS)	Yes
VLAN, P-VLAN, QinQ, GVRP	Yes
IGMP query, snooping, GMRP	Yes
IEEE 802.1AB LLDP network discovery	Yes
IEEE 802.3ad LACP, static trunk	Yes
Jumbo frame/MAC address	Yes
Port mirroring	Yes
DDM SFP	Yes
IEEE 802.1x, IP/port security/SSL/HTTPS,SSH/Telnet	Yes
TACACS+, Radius	Yes
SNMP/RMON/Trap	Yes
CLI/Web/Telnet	Yes
DHCP (server, client, Opt 82, port based server)	Yes
Event alarm	Port Power

Mechanical

Housing/protection (IP)	Aluminum (IP40)
Mounting	Rackmount
Operating temperature	-40~75°C

Certification

Regulatory/approval	CE/FCC/EN50121-4
---------------------	------------------

People & Technology. Connected.

We are a people company. Our experienced, skilled and passionate people empower you to meet your challenges through best-in-class, user-friendly solutions. We are a technology company. We help you optimize processes through our software, hardware and services, and through our support. Connecting people and technologies gives you the means to accomplish your goals and ambitions, and gain a competitive edge in today's digitalized world.

Visiting address HQ: Stora Varvsgatan 13a

SE - 211 75 Malmö, SWEDEN

+46 40 35 86 00 (tel:+46 40 35 86 00)

info@bejerelectronics.com (mailto:info@bejerelectronics.com)